



SEQUENCE LISTING

<110> Alajem, Sara
Reinhartz, Avraham
Waksman, Michal

<120> OLIGONUCLEOTIDES AND ASSEMBLIES THEREOF USEFUL IN THE DETECTION OF THE PRESENCE OR ABSENCE OF TARGET NUCLEIC ACID SEQUENCES

<130> 00/21400

<150> 09/727,480
<151> 2000-12-04

<160> 49

<170> PatentIn version 3.2

<210> 1

<211> 263

<212> DNA

<213> Human cytomegalovirus (strain AD169);

<400> 1

agaccttcat gcagatctcc tcaatgcggc gtttcattac actgataaacc tcaggcttgg 60
ttatcagagg ccgttggcc agcatcacac tagtctcctc taagacatag cagcacagca 120
cccgacagaa ctacttaag agagagatgc ccccgatcat ggtcatcata caagcgac 180
tagtgacctt gtactcatta cacattttt ccacacatgt agtgaggata tccataaata 240
tgtgtataat gtgcgtgagc acc 263

<210> 2

<211> 20

<212> DNA

<213> Artificial sequence;

<220>

<223> primer

<400> 2

agaccttcat gcagatctcc 20

<210> 3

<211> 20

<212> DNA

<213> Artificial sequence;

<220>

<223> primer

<400> 3

ggtgctcagc cacattgtac 20

<210> 4

<211> 263

<212> DNA

<213> Human cytomegalovirus (strain AD169);

<220>

<223> antisense;

<400> 4

ggtgctcagc cacattgtac acatattttt ggatatcctc actacatgtg tggaaacaat 60
gtgttatgatg tacaaggatca ctatgtacgc ttgttatgatg accatgtacg gggcatctc 120
tctcttaatg gagttctgtc ggggtctgtc ctgttatgtc tttagaggaga ctatgtatgt 180
gctggccaaag cggcctgtca taaccaagcc tgaggatatac agtgtatga agcgccgcat 240
tgaggatatac tgcatgaagg tct 263

```

<210> 5
<211> 50
<212> DNA
<213> Human cytomegalovirus (strain AD169);

<400> 5
tcaggcttgg ttatcagagg ccgcttggcc agcatcacac tagtctcctc      50

<210> 6
<211> 35
<212> DNA
<213> Human cytomegalovirus (strain AD169);

<400> 6
ggccagcattt acactagtct cctctaagac atagc      35

<210> 7
<211> 59
<212> DNA
<213> Human cytomegalovirus (strain AD169);

<400> 7
ggccagcattt acactagtct cctctaagac atagcagcac agcacccgac agaactcac      59

<210> 8
<211> 36
<212> DNA
<213> Artificial sequence;

<220>
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 8
cagcatcaca ctagtctcct ctaagacata gcagca      36

<210> 9
<211> 36
<212> DNA
<213> Artificial sequence;

<220>
<223> synthetic oligonucleotide

<400> 9
tgctgtatg tcttagagga gactagtgtg atgctg      36

<210> 10
<211> 36
<212> DNA
<213> Artificial sequence;

<220>
<223> hybridized oligonucleotides

<220>
<221> misc_feature

```

<222> (1)..(1)
 <223> Biotinylated at 5'-end of sense

<400> 10
 cagcatcaca ctagtctcct ctaagacata gcagca

36

<210> 11
 <211> 37
 <212> DNA
 <213> Artificial sequence;

<220>
 <223> synthetic oligonucleotide;

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> Biotinylated at 5'-end

<400> 11
 tggttatcag aggccgctta aaattcgaag ggtcac

37

<210> 12
 <211> 37
 <212> DNA
 <213> Artificial sequence;

<220>
 <223> synthetic oligonucleotide;

<400> 12
 gtgaacctt cgaattcaca gcatcacact agtctcc

37

<210> 13
 <211> 32
 <212> DNA
 <213> Artificial sequence;

<220>
 <223> synthetic oligonucleotide;

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> Biotinylated at 5'-end

<400> 13
 tggttatcag aggccgctta aaattcgaag gg

32

<210> 14
 <211> 32
 <212> DNA
 <213> Artificial sequence;

<220>
 <223> synthetic oligonucleotide;

<400> 14
 cccttcgaat tcacagcatc acactagtct cc

32

<210> 15

```

<211> 36
<212> DNA
<213> Artificial sequence;

<220>
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 15
ggcttggta tcagaggccg cttaaaattc gaaggg 36

<210> 16
<211> 37
<212> DNA
<213> Artificial sequence;

<220>
<223> synthetic oligonucleotide;

<400> 16
ccttcgaat tcacagcatac acactagtct cctctaa 37

<210> 17
<211> 39
<212> DNA
<213> Artificial sequence;

<220>
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 17
tggttatcag aggccgccta aaattcgaag ggttcacga 39

<210> 18
<211> 39
<212> DNA
<213> Artificial sequence;

<220>
<223> synthetic oligonucleotide;

<400> 18
tcgtgaaccc ttcaattca cagcatcaca ctatctcc 39

<210> 19
<211> 43
<212> DNA
<213> Artificial sequence;

<220>
<223> synthetic oligonucleotide;

<220>

```

```

<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 19
cagcatcaca ctagtctcca gctagttcga cgcgccacgc gtc 43

<210> 20
<211> 53
<212> DNA
<213> Artificial sequence;

<220>
<223> synthetic oligonucleotide;

<400> 20
gaactagcta ctctaagaca tagcagcaca gcacccgaca gaactcactt aag 53

<210> 21
<211> 24
<212> DNA
<213> Artificial sequence;

<220>
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<220>
<221> modified_base
<222> (20)..(20)
<223> m6a

<400> 21
gtacgggggc ataaaattcga acgc 24

<210> 22
<211> 24
<212> DNA
<213> Artificial sequence;

<220>
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 22
gtacgggggc ataaaattcga acgc 24

<210> 23
<211> 38
<212> DNA
<213> Artificial sequence;

<220>
<223> synthetic oligonucleotide;

```

```

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 23
tttttttttgcgttcgaatt tctctctctt aagtgagt 38

<210> 24
<211> 52
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 24
tcactagtga cgcttgtatg atgaccatgt acggggcat aaattcgaac gc 52

<210> 25
<211> 52
<212> DNA
<213> Artificial sequence;

<220>
<221> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<220>
<221> modified_base
<222> (48)..(48)
<223> m6a

<400> 25
tcactagtga cgcttgtatg atgaccatgt acggggcat aaattcgaac gc 52

<210> 26
<211> 64
<212> DNA
<213> Artificial sequence;

<220>
<221> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 26
ttatcagagg ccgcgttgaaa attcgaattt accaagaattt cgaattcaca gcatcacact 60

```

agtc		64
<210> 27		
<211> 65		
<212> DNA		
<213> Artificial sequence;		
<220>		
<223> synthetic oligonucleotide;		
<220>		
<221> misc_feature		
<222> (1)..(1)		
<223> Biotinylated at 5'-end		
<400> 27		
gttatcagag gccacttgaa aattcgaatt gaccaagaat tcgaattcac agcatcacac	60	
tagtc	65	
<210> 28		
<211> 83		
<212> DNA		
<213> Artificial sequence;		
<220>		
<223> synthetic oligonucleotide;		
<220>		
<221> misc_feature		
<222> (1)..(1)		
<223> Biotinylated at 5'-end		
<400> 28		
tggttatcag aggccgcttg ttataatcga ataaatggag gaagatataat tcgaatataa	60	
gccagcatca cactagtctc ctc	83	
<210> 29		
<211> 89		
<212> DNA		
<213> Artificial sequence;		
<220>		
<223> synthetic oligonucleotide;		
<220>		
<221> misc_feature		
<222> (1)..(1)		
<223> Biotinylated at 5'-end		
<400> 29		
tggttatcag aggccgcttg ttatattcga ataaatgacc gaggaggaag attaattcga	60	
atataagcca gcatcacact agtctcctc	89	
<210> 30		
<211> 77		
<212> DNA		
<213> Artificial sequence;		
<220>		
<223> synthetic oligonucleotide;		

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 30
cagcatcaca ctagtctcta ctcgagcaaa aaaaaaaaaa aaaaaaaaaac actcgagcgc
tctaaagacat agcagca 60
77

<210> 31
<211> 68
<212> DNA
<213> Artificial sequence;

<220>
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 31
cagcatcaca ctagtctcta cacacacatc gagcattcga cacacacacg ctctaaagaca
tagcagca 60
68

<210> 32
<211> 77
<212> DNA
<213> Artificial sequence;

<220>
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 32
cagcatcaca ctagtctcta cactcgagca cacaaaaaaaaaaaacacac tcgagcacgc
tctaaagacat agcagca 60
77

<210> 33
<211> 77
<212> DNA
<213> Artificial sequence;

<220>
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 33
cagcatcaca ctagtctcta ctcgaggaca cacaaaaaaaaaaaacacac actcgagcgc
tctaaagacat agcagca 60
77

<210> 34
<211> 87

```

<212> DNA
<213> Artificial sequence;

<220>
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 34
cagcatcaca ctagtctcta cacacctcg aaaaaaaaaaaa aaaaaaaaaaaa aaaacactcg      60
agacacacgc tctaagacat agcagca                                87

<210> 35
<211> 81
<212> DNA
<213> Artificial sequence;

<220>
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 35
cagcatcaca ctagtctcta cactcgagca cacaaaaaaaaaa aaaaaaaaaaac acactcgac      60
acgtcttaag acatagcagc                                81

<210> 36
<211> 54
<212> DNA
<213> Artificial sequence;

<220>
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 36
gccagcatca cactaccccc tcgaggattc gaaaaaacct ctaagacata gcag      54

<210> 37
<211> 58
<212> DNA
<213> Artificial sequence;

<220>
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at .5'-end

<400> 37

```

cagcatcaca ctagtcactc gaggagaccc gtgtcgaaacc tcctctaaga catagcag 58

```

<210> 38
<211> 60
<212> DNA
<213> Artificial sequence;

<220>
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 38
gaactcaatt aagagagaga tgccccgta catggtcattt atacaagggt cactagtgc 60

<210> 39
<211> 44
<212> DNA
<213> Artificial sequence;

<220>
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 39
cagcatcaca ctagtctcaa ttccgaagg atgaccatgt acgg 44

<210> 40
<211> 47
<212> DNA
<213> Artificial sequence;

<220>
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 40
cactagtgcac gcttgatcg cttcgaaattc tctaaagacat agcagca 47

<210> 41
<211> 50
<212> DNA
<213> Human cytomegalovirus (strain AD169);

<400> 41
tcaggcttgg ttatcagagg ccgcgtggcc agcatcacac tagtctcc 50

<210> 42
<211> 59
<212> DNA
<213> Artificial sequence;

```

```

<220>
<223> synthetic oligonucleotide;

<400> 42
atgtgtggaa acaatgtgta atgagtacaa ggtcactagt gacgcttgta tcatgcacca      59

<210> 43
<211> 41
<212> DNA
<213> Artificial sequence;

<220>
<223> synthetic oligonucleotide;

<400> 43
cgaatttgc cttgtactca ttacacattt tttccacaca t      41

<210> 44
<211> 28
<212> DNA
<213> Artificial sequence;

<220>
<223> synthetic oligonucleotide;

<400> 44
cgaatttgc cttgtactca ttacacat      28

<210> 45
<211> 47
<212> DNA
<213> Artificial sequence;

<220>
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 45
tggtcatcat acaagcgtca cttagaattcg aacggttttt ttccgtt      47

<210> 46
<211> 43
<212> DNA
<213> Artificial sequence;

<220>
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 46
catcatacaa gcgtcactag aattcgaacg gttttttcc gtt      43

```

```
<210> 47
<211> 39
<212> DNA
<213> Artificial sequence;

<220>
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 47
ataacaaggct cactagaatt cgaacggttt ttttccgtt          39

<210> 48
<211> 59
<212> DNA
<213> Artificial sequence;

<220>
<223> synthetic oligonucleotide;

<400> 48
atgtgtggaa acaatgtgta atgagtacaa ggtcagtagt gacgcttgta tgatgacca      59

<210> 49
<211> 27
<212> DNA
<213> Artificial sequence;

<220>
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 49
tttcatcata aaagcgtcac tagaatt                         27
```